


STANDARDNÍ NÝTY

Série 1031



ČSN 02 2391
EN 14588



Všechny rozměry v mm.

| | |
|------|--------------------|
| d1 Ø | Ø 4.8 : 4.9 |
| d2 Ø | : 9.5 [+0/-1] |
| k | : 1.1 [+/-0.3] |
| P | : ≥27 |
| d3 | : ~2.7 |
| | : 2230 N |
| | : 1690 N |

| L | | Objednáací číslo |
|------|-----------|------------------|
| 6.0 | 1.0- 3.0 | 10314806 |
| 8.0 | 3.0- 4.5 | 4808 |
| 10.0 | 4.5- 6.0 | 4810 |
| 12.0 | 6.0- 8.0 | 4812 |
| 14.0 | 8.0-10.0 | 4814 |
| 16.0 | 10.0-12.0 | 4816 |
| 18.0 | 12.0-14.0 | 4818 |
| 20.0 | 14.0-16.0 | 4820 |
| 22.0 | 16.0-18.0 | 4822 |
| 25.0 | 18.0-21.0 | 4825 |
| 28.0 | 21.0-23.5 | 4828 |
| 30.0 | 23.5-25.0 | 4830 |
| 35.0 | 25.0-30.0 | 4835 |
| 40.0 | 30.0-35.0 | 4840 |
| 45.0 | 35.0-40.0 | 4845 |
| 50.0 | 40.0-45.0 | 4850 |
| 55.0 | 45.0-50.0 | 4855 |
| 60.0 | 50.0-55.0 | 4860 |
| 65.0 | 55.0-60.0 | 4865 |
| 70.0 | 60.0-65.0 | 4870 |

Všechny rozměry v mm.

| | | | | |
|------|--------------------|------|-----------|------------------|
| d1 Ø | Ø 2.4 : 2.5 | L | | Objednáací číslo |
| d2 Ø | : 5.0 [+0/-0.7] | 4.0 | ~ 2.0 | 10312404 |
| k | : 0.7 [+0/-0.7] | 6.0 | 2.0 - 4.0 | 2406 |
| P | : ≥27 | 8.0 | 4.0 - 6.0 | 2408 |
| d3 | : ~1.45 | 10.0 | 6.0 - 8.0 | 2410 |
| | : 355 N | 12.0 | 8.0 -10.0 | 2412 |
| | : 315 N | | | |

Všechny rozměry v mm.

| | | | | |
|------|--------------------|------|-----------|------------------|
| d1 Ø | Ø 3.0 : 3.1 | L | | Objednáací číslo |
| d2 Ø | : 6.5 [+0/-0.7] | 4.0 | ~ 1.5 | 10313004 |
| k | : 0.8 [+0/-0.2] | 6.0 | 1.5- 3.5 | 3006 |
| P | : ≥27 | 8.0 | 3.5- 5.5 | 3008 |
| d3 | : ~1.75 | 10.0 | 5.5- 7.5 | 3010 |
| | : 810 N | 12.0 | 7.5- 9.5 | 3012 |
| | : 620 N | 14.0 | 9.5-11.5 | 3014 |
| | | 16.0 | 11.5-13.5 | 3016 |
| | | 18.0 | 12.5-15.0 | 3018 |
| | | 20.0 | 15.0-17.0 | 3020 |

Všechny rozměry v mm.

| | | | | |
|------|--------------------|------|-----------|------------------|
| d1 Ø | Ø 3.2 : 3.3 | L | | Objednáací číslo |
| d2 Ø | : 6.5 [+0/-0.7] | 4.0 | ~ 1.5 | 10313204 |
| k | : 0.8 [+0/-0.2] | 6.0 | 1.5- 3.5 | 3206 |
| P | : ≥27 | 8.0 | 3.5- 5.5 | 3208 |
| d3 | : ~1.75 | 10.0 | 5.5- 7.5 | 3210 |
| | : 980 N | 12.0 | 7.5- 9.5 | 3212 |
| | : 760 N | 14.0 | 9.5-11.5 | 3214 |
| | | 16.0 | 11.5-13.5 | 3216 |
| | | 18.0 | 13.5-15.5 | 3218 |
| | | 20.0 | 15.5-17.5 | 3220 |
| | | 25.0 | 17.0-22.0 | 3225 |

Všechny rozměry v mm.

| | |
|------|--------------------|
| d1 Ø | Ø 5.0 : 5.1 |
| d2 Ø | : 9.5 [+0/-1] |
| k | : 1.1 [+/-0.3] |
| P | : ≥27 |
| d3 | : 2.7 |
| | : 2500 N |
| | : 2000 N |

| L | | Objednáací číslo |
|------|-----------|------------------|
| 6.0 | 1.0- 3.0 | 10315006 |
| 8.0 | 3.0- 4.5 | 5008 |
| 10.0 | 4.5- 6.0 | 5010 |
| 12.0 | 6.0- 8.0 | 5012 |
| 14.0 | 8.0-10.0 | 5014 |
| 16.0 | 10.0-12.0 | 5016 |
| 18.0 | 12.0-14.0 | 5018 |
| 21.0 | 14.0-17.0 | 5021 |
| 25.0 | 17.0-20.0 | 5025 |
| 27.0 | 20.0-23.0 | 5027 |
| 30.0 | 23.0-25.0 | 5030 |
| 35.0 | 25.0-30.0 | 5035 |
| 40.0 | 30.0-35.0 | 5040 |
| 45.0 | 35.0-40.0 | 5045 |
| 50.0 | 40.0-45.0 | 5050 |

Všechny rozměry v mm.

| | |
|------|--------------------|
| d1 Ø | Ø 6.0 : 6.1 |
| d2 Ø | : 12.0 [+0/-1.5] |
| k | : 1.5 [+/-0.4] |
| P | : ≥31 |
| d3 | : ~3.6 |
| | : 3900 N |
| | : 3000 N |

| L | | Objednáací číslo |
|------|-----------|------------------|
| 8.0 | 2.0- 4.0 | 10316008 |
| 10.0 | 4.0- 6.0 | 6010 |
| 12.0 | 6.0- 8.0 | 6012 |
| 14.0 | 7.0- 9.0 | 6014 |
| 16.0 | 9.0-11.0 | 6016 |
| 18.0 | 11.0-13.0 | 6018 |
| 22.0 | 13.0-17.0 | 6022 |
| 26.0 | 17.0-20.0 | 6026 |
| 30.0 | 20.0-24.0 | 6030 |

Všechny rozměry v mm.

| | |
|------|--------------------|
| d1 Ø | Ø 6.4 : 6.5 |
| d2 Ø | : 13.0 [+0/-1.5] |
| k | : 1.8 [+/-0.4] |
| P | : ≥31 |
| d3 | : ~3.85 |
| | : 4090 N |
| | : 3120 N |


| L | | Objednáací číslo |
|------|-----------|------------------|
| 10.0 | 0.0- 2.5 | 10316410 |
| 12.0 | 4.0- 6.0 | 6412 |
| 15.0 | 6.0- 9.0 | 6415 |
| 18.0 | 9.0-13.0 | 6418 |
| 22.0 | 13.0-16.0 | 6422 |
| 26.0 | 16.0-20.0 | 6426 |
| 30.0 | 18.0-24.0 | 6430 |
| 35.0 | 24.0-30.0 | 6435 |
| 40.0 | 30.0-35.0 | 6440 |

Série 1032



ČSN 02 2391
EN 14588

VELKÁ HLAVA



Všechny rozměry v mm.

| d1 Ø | Ø : 3.3 | L | | Objednací číslo |
|------|----------------------|-----------|------------|-----------------|
| | | [+1/-0.2] | | |
| 3.2 | d2 Ø : 9.5 [+0/-0.5] | 6.0 | 1.5 - 3.5 | 10323206 |
| | k : ≤2 | 8.0 | 3.5 - 5.5 | 3208 |
| | P : ≥27 | 10.0 | 5.5 - 7.5 | 3210 |
| | d3 : ~1.7 | 12.0 | 7.5 - 9.5 | 3212 |
| | | 14.0 | 9.5 - 11.5 | 3214 |
| | | | | : 980 N |
| | | | | : 760 N |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.1 | L | | Objednací číslo |
|------|----------------------|-----------|----------|-----------------|
| | | [+1/-0.2] | | |
| 4.0 | d2 Ø : 12.0 [+/-0.5] | 6.0 | 1.5- 3.0 | 10324006 |
| | k : ≤2.5 | 8.0 | 3.0- 5.0 | 4008 |
| | P : ≥27 | 10.0 | 5.0- 6.5 | 4010 |
| | d3 : ~2.1 | 12.0 | 6.5- 8.5 | 4012 |
| | | 14.0 | 8.5-10.5 | 4014 |
| | | | | : 1600 N |
| | | | | : 1200 N |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.9 | L | | Objednací číslo | |
|------|----------------------|-----------|-----------|-----------------|------|
| | | [+1/-0.2] | | | |
| 4.8 | d2 Ø : 14.0 [+/-0.5] | 8.0 | 3.0- 4.5 | 10324808 | |
| | k : ≤2.5 | 10.0 | 4.5- 6.0 | 4810 | |
| | P : ≥27 | 12.0 | 6.0- 8.0 | 4812 | |
| | d3 : ~2.7 | 14.0 | 8.0-10.0 | 4814 | |
| | | 16.0 | 10.0-12.0 | 4816 | |
| | | | 18.0 | 12.0-14.0 | 4818 |
| | | | 20.0 | 14.0-16.0 | 4820 |
| | | | 22.0 | 16.0-18.0 | 4822 |
| | | | 24.0 | 18.0-21.0 | 4824 |
| | | | 26.0 | 19.5-22.0 | 4826 |
| | | 28.0 | 21.0-23.5 | 4828 | |
| | | 30.0 | 23.0-25.0 | 4830 | |
| | | 35.0 | 25.0-30.0 | 4835 | |

Všechny rozměry v mm.


| d1 Ø | Ø : 5.1 | L | | Objednací číslo | |
|------|----------------------|-----------|-----------|-----------------|------|
| | | [+1/-0.2] | | | |
| 5.0 | d2 Ø : 14.0 [+/-0.5] | 8.0 | 3.0- 4.5 | 10325008 | |
| | k : ≤2.5 | 10.0 | 4.5- 6.0 | 5010 | |
| | P : ≥27 | 12.0 | 6.0- 8.0 | 5012 | |
| | d3 : ~2.7 | 14.0 | 8.0-10.0 | 5014 | |
| | | 16.0 | 10.0-12.0 | 5016 | |
| | | | 18.0 | 12.0-14.0 | 5018 |
| | | | 21.0 | 14.0-17.0 | 5021 |
| | | | 24.0 | 17.0-20.0 | 5024 |
| | | | 27.0 | 20.0-24.0 | 5027 |
| | | | 30.0 | 23.0-26.0 | 5030 |

Série 1033



ČSN 02 2391
EN 14588

EXTRA VELKÁ HLAVA




Všechny rozměry v mm.

| d1 Ø | Ø : 4.9 | L | | Objednací číslo | |
|------|-----------------------|-----------|-----------|-----------------|------|
| | | [+1/-0.2] | | | |
| 4.8 | d2 Ø : 16.0 [+/-0.05] | 10.0 | 4.5- 6.0 | 10334810 | |
| | k : ≤2.5 | 12.0 | 6.0- 8.0 | 4812 | |
| | P : ≥27 | 14.0 | 8.0-10.0 | 4814 | |
| | d3 : ~2.7 | 16.0 | 10.0-12.0 | 4816 | |
| | | 18.0 | 12.0-14.0 | 4818 | |
| | | | 20.0 | 14.0-16.0 | 4820 |
| | | | 22.0 | 16.0-18.0 | 4822 |
| | | | 24.0 | 18.0-20.0 | 4824 |
| | | | 26.0 | 20.0-22.0 | 4826 |
| | | | 28.0 | 21.0-24.0 | 4828 |
| | | | 30.0 | 23.0-25.0 | 4830 |
| | | | 35.0 | 25.0-30.0 | 4835 |

STANDARDNÍ NÍTY

ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

| d1 Ø | Ø : 2.5 | L | | Objednáací číslo |
|------------|----------------------|-----------|----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 2.4 | d2 Ø : 5.0 [+0/-0.4] | 6.0 | 2.0- 4.0 | 10342406 |
| | k : - | 8.0 | 4.0- 6.0 | 2408 |
| | P : ≥27 | 10.0 | 6.0- 8.0 | 2410 |
| | d3 : ~1.45 | | | |
| | ⊕ : 355 N | | | |
| | ⊕ : 315 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.1 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 4.0 | d2 Ø : 7.5 [+0/-0.5] | 6.0 | 1.5- 3.0 | 10344006 |
| | k : - | 8.0 | 3.0- 5.0 | 4008 |
| | P : ≥27 | 10.0 | 5.0- 6.5 | 4010 |
| | d3 : ~2.1 | 12.0 | 6.5- 8.5 | 4012 |
| | ⊕ : 1600 N | 14.0 | 8.5-10.5 | 4014 |
| | ⊕ : 1200 N | 16.0 | 10.5-12.5 | 4016 |
| | | 18.0 | 11.0-15.0 | 4018 |
| | 20.0 | 15.0-17.0 | 4020 | |

Všechny rozměry v mm.

| d1 Ø | Ø : 3.1 | L | | Objednáací číslo |
|------------|----------------------|-----------|----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 3.0 | d2 Ø : 6.0 [+0/-0.7] | 6.0 | 1.5- 3.5 | 10343006 |
| | k : - | 8.0 | 3.5- 5.5 | 3008 |
| | P : ≥27 | 10.0 | 5.5- 7.5 | 3010 |
| | d3 : ~1.75 | 12.0 | 7.5- 9.5 | 3012 |
| | ⊕ : 810 N | 14.0 | 9.0-12.0 | 3014 |
| | ⊕ : 620 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.9 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 4.8 | d2 Ø : 9.0 [+0/-0.5] | 8.0 | 3.0- 4.5 | 10344808 |
| | k : - | 10.0 | 4.5- 6.0 | 4810 |
| | P : ≥27 | 12.0 | 6.0- 8.0 | 4812 |
| | d3 : ~2.7 | 14.0 | 8.0-10.0 | 4814 |
| | ⊕ : 2230 N | 16.0 | 10.0-12.0 | 4816 |
| | ⊕ : 1690 N | 18.0 | 12.0-14.0 | 4818 |
| | | 20.0 | 14.0-16.0 | 4820 |
| | | 25.0 | 18.0-21.0 | 4825 |
| | | 30.0 | 21.0-25.0 | 4830 |
| | | 35.0 | 25.0-30.0 | 4835 |

Všechny rozměry v mm.

| d1 Ø | Ø : 3.3 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 3.2 | d2 Ø : 6.0 [+0/-0.4] | 6.0 | 1.5- 3.5 | 10343206 |
| | k : - | 8.0 | 3.5- 5.5 | 3208 |
| | P : ≥27 | 10.0 | 5.5- 7.5 | 3210 |
| | d3 : ~1.75 | 12.0 | 7.5- 9.5 | 3212 |
| | ⊕ : 980 N | 14.0 | 9.5-11.5 | 3214 |
| | ⊕ : 760 N | 16.0 | 10.0-13.0 | 3216 |


Všechny rozměry v mm.

| d1 Ø | Ø : 5.1 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 5.0 | d2 Ø : 9.0 [+0/-0.5] | 8.0 | 3.0- 4.5 | 10345008 |
| | k : - | 10.0 | 4.5- 6.0 | 5010 |
| | P : ≥27 | 12.0 | 6.0- 8.0 | 5012 |
| | d3 : ~2.7 | 14.0 | 8.0-10.0 | 5014 |
| | ⊕ : 2500 N | 16.0 | 10.0-12.0 | 5016 |
| | ⊕ : 2000 N | 18.0 | 12.0-14.0 | 5018 |
| | | 20.0 | 14.0-17.0 | 5020 |
| | | 25.0 | 17.0-20.0 | 5025 |
| | | 30.0 | 21.0-25.0 | 5030 |

Série 1021



ČSN 02 2391
EN 14588



Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 3.3 |
| d2 ∅ | : 6.5 [+0/-0.7] |
| k | : 0.8 [+0/-0.2] |
| P | : ≥27 |
| d3 | : ~1.95 |
| | : 670 N |
| | : 535 N |

+0.08
-0.10

3.2

| L [+1/-0.2] | | Objednáací číslo |
|----------------|-----------|------------------|
| 6.0 | 1.5- 3.5 | 10213206 |
| 8.0 | 3.5- 5.5 | 3208 |
| 10.0 | 5.5- 7.5 | 3210 |
| 12.0 | 7.5- 9.5 | 3212 |
| 14.0 | 9.5-11.5 | 3214 |
| 16.0 | 11.5-13.5 | 3216 |

Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 4.1 |
| d2 ∅ | : 8.0 [+0/-1] |
| k | : 1.0 [+0/-0.3] |
| P | : ≥27 |
| d3 | : ~2.45 |
| | : 1025 N |
| | : 845 N |

+0.08
-0.15

4.0

| L [+1/-0.2] | | Objednáací číslo |
|----------------|-----------|------------------|
| 6.0 | 1.5- 3.0 | 10214006 |
| 8.0 | 3.0- 5.0 | 4008 |
| 10.0 | 5.0- 7.0 | 4010 |
| 12.0 | 7.0- 9.0 | 4012 |
| 14.0 | 9.0-11.0 | 4014 |
| 16.0 | 11.0-13.0 | 4016 |
| 18.0 | 12.5-14.5 | 4018 |
| 20.0 | 14.0-16.5 | 4020 |

Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 4.9 |
| d2 ∅ | : 9.5 [+0/-1] |
| k | : 1.1 [+0/-0.3] |
| P | : ≥27 |
| d3 | : ~2.9 |
| | : 1425 N |
| | : 1155 N |

+0.08
-0.15


4.8

| L [+1/-0.2] | | Objednáací číslo |
|----------------|-----------|------------------|
| 8.0 | 2.5- 4.5 | 10214808 |
| 10.0 | 4.5- 6.5 | 4810 |
| 12.0 | 6.5- 8.5 | 4812 |
| 14.0 | 8.5-10.5 | 4814 |
| 16.0 | 10.5-12.5 | 4816 |
| 18.0 | 12.5-14.0 | 4818 |
| 20.0 | 14.5-16.5 | 4820 |
| 25.0 | 19.5-21.5 | 4825 |
| 30.0 | 21.0-25.0 | 4830 |

Série 1071



ČSN 02 2391
EN 14588



Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 3.1 |
| d2 ∅ | : 6.5 [+0/-0.7] |
| k | : 0.8 [+0/-0.2] |
| P | : ≥27 |
| d3 | : ~1.75 |
| | : 810 N |
| | : 620 N |

+0.08
-0.10

3.0

| L [+1/-0.2] | | Objednáací číslo |
|----------------|----------|------------------|
| 6.0 | 1.5- 3.5 | 10713006 |
| 8.0 | 3.5- 5.5 | 3008 |
| 10.0 | 5.5- 7.0 | 3010 |
| 12.0 | 7.0- 9.0 | 3012 |
| 14.0 | 9.0-11.0 | 3014 |

Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 4.1 |
| d2 ∅ | : 8.0 [+0/-1] |
| k | : 1.0 [+0/-0.3] |
| P | : ≥27 |
| d3 | : ~2.1 |
| | : 1600 N |
| | : 1200 N |

+0.08
-0.15

4.0

| L [+1/-0.2] | | Objednáací číslo |
|----------------|-----------|------------------|
| 6.0 | 1.0- 3.0 | 10714006 |
| 8.0 | 3.0- 5.0 | 4008 |
| 10.0 | 5.0- 7.0 | 4010 |
| 12.0 | 7.0- 9.0 | 4012 |
| 14.0 | 8.0-11.0 | 4014 |
| 16.0 | 10.5-12.5 | 4016 |
| 18.0 | 11.0-15.0 | 4018 |
| 20.0 | 15.0-17.0 | 4020 |

Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 4.9 |
| d2 ∅ | : 9.5 [+0/-1] |
| k | : 1.1 [+0/-0.3] |
| P | : ≥27 |
| d3 | : ~2.7 |
| | : 2230 N |
| | : 1690 N |

+0.08
-0.15

4.8

| L [+1/-0.2] | | Objednáací číslo |
|----------------|-----------|------------------|
| 8.0 | 2.5- 4.5 | 10714808 |
| 10.0 | 4.5- 6.5 | 4810 |
| 12.0 | 6.5- 8.5 | 4812 |
| 14.0 | 8.5-10.5 | 4814 |
| 16.0 | 10.5-12.5 | 4816 |
| 18.0 | 12.5-14.5 | 4818 |
| 20.0 | 14.5-16.5 | 4820 |
| 25.0 | 16.0-20.0 | 4825 |
| 30.0 | 20.0-25.0 | 4830 |

Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 5.1 |
| d2 ∅ | : 9.5 [+0/-1] |
| k | : 1.1 [+0/-0.3] |
| P | : ≥27 |
| d3 | : ~2.7 |
| | : 2500 N |
| | : 2000 N |

+0.08
-0.15

5.0

| L [+1/-0.2] | | Objednáací číslo |
|----------------|-----------|------------------|
| 8.0 | 2.5- 4.5 | 10715008 |
| 10.0 | 4.5- 6.5 | 5010 |
| 12.0 | 6.5- 8.5 | 5012 |
| 16.0 | 10.5-12.5 | 5016 |
| 21.0 | 13.0-17.0 | 5021 |


Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 3.3 |
| d2 ∅ | : 6.5 [+0/-0.7] |
| k | : 0.8 [+0/-0.2] |
| P | : ≥27 |
| d3 | : ~1.95 |
| | : 980 N |
| | : 760 N |

+0.08
-0.10

3.2

| L [+1/-0.2] | | Objednáací číslo |
|----------------|----------|------------------|
| 6.0 | 1.5- 3.5 | 10713206 |
| 8.0 | 3.5- 5.5 | 3208 |
| 10.0 | 5.5- 7.0 | 3210 |
| 12.0 | 7.0- 9.0 | 3212 |



Všechny rozměry v mm.

| d1 Ø | Ø : 3.1 | L | | Objednáací číslo |
|------------|----------------------|-----------|----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 3.0 | d2 Ø : 6.5 [+0/-0.7] | 6.0 | 1.5- 3.0 | 10413006 |
| | k : 0.8 [+0/-0.2] | 8.0 | 3.0- 5.0 | 3008 |
| | P : ≥27 | 10.0 | 5.0- 7.0 | 3010 |
| | d3 : ~1.9 | 12.0 | 7.0- 9.0 | 3012 |
| | ⊕ : 1125 N | 14.0 | 9.0-11.0 | 3014 |
| | ⊖ : 915 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 3.3 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 3.2 | d2 Ø : 6.5 [+0/-0.7] | 6.0 | 1.5- 3.0 | 10413206 |
| | k : 0.8 [+0/-0.2] | 8.0 | 3.0- 5.0 | 3208 |
| | P : ≥27 | 10.0 | 5.0- 7.0 | 3210 |
| | d3 : ~2.5 | 12.0 | 7.0- 9.0 | 3212 |
| | ⊕ : 1285 N | 14.0 | 9.0-11.0 | 3214 |
| | ⊖ : 1060 N | 16.0 | 11.0-13.0 | 3216 |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.1 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 4.0 | d2 Ø : 8.0 [+0/-1.0] | 6.0 | 1.5- 2.5 | 10414006 |
| | k : 1.0 [+/-0.3] | 8.0 | 2.5- 4.5 | 4008 |
| | P : ≥27 | 10.0 | 4.5- 6.5 | 4010 |
| | d3 : ~2.5 | 12.0 | 6.5- 8.5 | 4012 |
| | ⊕ : 1990 N | 14.0 | 8.5-10.5 | 4014 |
| | ⊖ : 1550 N | 16.0 | 10.5-12.5 | 4016 |
| | | 18.0 | 12.5-14.5 | 4018 |
| | | 20.0 | 14.5-16.5 | 4020 |
| | | 22.0 | 16.0-18.0 | 4022 |
| | | 24.0 | 17.0-20.0 | 4024 |
| | | 26.0 | 18.0-23.0 | 4026 |
| | | 28.0 | 20.0-25.0 | 4028 |
| | | 30.0 | 22.0-27.0 | 4030 |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.9 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 4.8 | d2 Ø : 9.5 [+0/-1.0] | 6.0 | 1.0- 2.5 | 10414806 |
| | k : 1.1 [+/-0.3] | 8.0 | 2.5- 4.5 | 4808 |
| | P : ≥27 | 10.0 | 4.5- 6.0 | 4810 |
| | d3 : ~2.9 | 12.0 | 6.0- 8.0 | 4812 |
| | ⊕ : 2920 N | 14.0 | 8.0-10.0 | 4814 |
| | ⊖ : 2300 N | 16.0 | 10.0-11.5 | 4816 |
| | | 18.0 | 11.5-13.5 | 4818 |
| | | 20.0 | 13.5-15.0 | 4820 |
| | | 22.0 | 15.0-17.0 | 4822 |
| | | 25.0 | 17.0-20.0 | 4825 |
| | 28.0 | 20.0-23.0 | 4828 | |
| | 30.0 | 23.0-26.0 | 4830 | |

Všechny rozměry v mm.

| d1 Ø | Ø : 5.1 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 5.0 | d2 Ø : 9.5 [+0/-1.0] | 8.0 | 2.5- 4.0 | 10415008 |
| | k : 1.1 [+/-0.3] | 10.0 | 4.0- 6.0 | 5010 |
| | P : ≥27 | 12.0 | 6.0- 8.0 | 5012 |
| | d3 : ~2.9 | 14.0 | 8.0-10.0 | 5014 |
| | ⊕ : 3255 N | 16.0 | 10.0-11.5 | 5016 |
| | ⊖ : 2575 N | 18.0 | 11.5-13.5 | 5018 |
| | | 20.0 | 13.5-15.0 | 5020 |

Všechny rozměry v mm.

| d1 Ø | Ø : 6.1 | L | | Objednáací číslo |
|------------|-----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 6.0 | d2 Ø : 12.0 [+0/-1.5] | 12.0 | 3.5- 6.5 | 10416012 |
| | k : 1.5 [+/-0.4] | 15.0 | 6.5- 9.5 | 6015 |
| | P : ≥31 | 18.0 | 9.5-12.5 | 6018 |
| | d3 : ~3.6 | 22.0 | 13.5-16.5 | 6022 |
| | ⊕ : 5020 N | 26.0 | 17.5-20.5 | 6026 |
| | ⊖ : 4040 N | 30.0 | 21.5-24.5 | 6030 |


Všechny rozměry v mm.

| d1 Ø | Ø : 6.5 | L | | Objednáací číslo |
|------------|-----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | ↑ | |
| 6.4 | d2 Ø : 13.0 [+0/-1.5] | 12.0 | 3.5- 6.5 | 10416412 |
| | k : 1.8 [+/-0.4] | 15.0 | 6.5- 9.5 | 6415 |
| | P : ≥31 | 18.0 | 9.5-12.5 | 6418 |
| | d3 : ~3.85 | 22.0 | 14.5-16.5 | 6422 |
| | ⊕ : 5415 N | 26.0 | 18.5-20.5 | 6426 |
| | ⊖ : 4355 N | 30.0 | 22.5-24.5 | 6430 |

Série 1044



ZAPUŠTĚNÁ HLAVA ČSN 02 2391 EN 14588



Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 3.1 |
| d2 ∅ | : 6.0 [+0/-0.4] |
| k | : |
| P | : ≥27 |
| d3 | : ~1.9 |
| | : 1125 N |
| | : 915 N |

3.0
+0.08
-0.10

| L [+1/-0.2] | | Objednací číslo |
|----------------|----------|-----------------|
| | | |
| 6.0 | 1.5- 3.0 | 10443006 |
| 8.0 | 3.0- 5.0 | 3008 |
| 10.0 | 5.0- 7.0 | 3010 |
| 12.0 | 7.0- 9.0 | 3012 |

Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 4.1 |
| d2 ∅ | : 7.5 [+0/-0.5] |
| k | : |
| P | : ≥27 |
| d3 | : ~2.5 |
| | : 1990 N |
| | : 1550 N |

4.0
+0.08
-0.15

| L [+1/-0.2] | | Objednací číslo |
|----------------|-----------|-----------------|
| | | |
| 6.0 | 1.5- 2.5 | 10444006 |
| 8.0 | 2.5- 4.5 | 4008 |
| 10.0 | 4.5- 6.5 | 4010 |
| 12.0 | 6.5- 8.5 | 4012 |
| 14.0 | 8.5-10.5 | 4014 |
| 16.0 | 10.5-12.5 | 4016 |

Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 3.3 |
| d2 ∅ | : 6.0 [+0/-0.4] |
| k | : |
| P | : ≥27 |
| d3 | : ~2.0 |
| | : 1285 N |
| | : 1060 N |

3.2
+0.08
-0.10

| L [+1/-0.2] | | Objednací číslo |
|----------------|----------|-----------------|
| | | |
| 6.0 | 1.5- 3.0 | 10443206 |
| 8.0 | 3.0- 5.0 | 3208 |
| 10.0 | 5.0- 7.0 | 3210 |
| 12.0 | 7.0- 9.0 | 3212 |
| 14.0 | 8.0-11.0 | 3214 |

Všechny rozměry v mm.

| | |
|-------------|------------------------|
| d1 ∅ | ∅ : 4.9 |
| d2 ∅ | : 9.0 [+0/-0.5] |
| k | : |
| P | : ≥27 |
| d3 | : ~2.9 |
| | : 2920 N |
| | : 2300 N |

4.8
+0.08
-0.15

| L [+1/-0.2] | | Objednací číslo |
|----------------|-----------|-----------------|
| | | |
| 8.0 | 2.5- 4.5 | 10444808 |
| 10.0 | 4.5- 6.0 | 4810 |
| 12.0 | 6.0- 8.0 | 4812 |
| 14.0 | 8.0-10.0 | 4814 |
| 16.0 | 10.0-11.5 | 4816 |
| 18.0 | 11.5-13.5 | 4818 |
| 20.0 | 13.5-15.5 | 4820 |
| 22.0 | 15.0-17.0 | 4822 |

STANDARDNÍ NÍTY




NEREZ



NEREZ

A2 [1.4301]

A2 [1.4301]



Všechny rozměry v mm.

| d1 Ø | Ø : 3.1 | L | | Objednáací číslo |
|------------|----------------------|-----------|----------|------------------|
| | | [+1/-0.2] | | |
| 3.0 | d2 Ø : 6.5 [+0/-0.7] | 6.0 | 1.5- 2.5 | 10513006 |
| | k : 0.8 [+0/-0.2] | 8.0 | 2.5- 4.5 | 3008 |
| | P : ≥27 | 10.0 | 4.5- 6.5 | 3010 |
| | d3 : ~1.9 | 12.0 | 6.5- 8.5 | 3012 |
| | : 2000 N | 15.0 | 9.0-12.0 | 3015 |
| | : 1600 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.9 | L | | Objednáací číslo |
|------------|--------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | | |
| 4.8 | d2 Ø : 9.5 [+0/-1] | 8.0 | 1.5- 3.0 | 10514808 |
| | k : 1.1 [+/-0.3] | 10.0 | 3.0- 5.0 | 4810 |
| | P : ≥27 | 12.0 | 5.0- 7.0 | 4812 |
| | d3 : ~2.9 | 14.0 | 7.0- 9.0 | 4814 |
| | : 6000 N | 16.0 | 9.0-11.0 | 4816 |
| | : 4500 N | 18.0 | 11.0-13.0 | 4818 |
| | | 20.0 | 13.0-15.0 | 4820 |
| | | 22.0 | 14.0-17.0 | 4822 |
| | | 25.0 | 15.0-20.0 | 4825 |
| | | 27.0 | 18.0-22.0 | 4827 |
| | 30.0 | 21.0-25.0 | 4830 | |
| | 40.0 | 30.0-35.0 | 4840 | |

Všechny rozměry v mm.

| d1 Ø | Ø : 3.3 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | | |
| 3.2 | d2 Ø : 6.5 [+0/-0.7] | 4.0 | ~ 1.5 | 10513204 |
| | k : 0.8 [+0/-0.2] | 6.0 | 1.5- 2.5 | 3206 |
| | P : ≥25 | 8.0 | 2.5- 4.5 | 3208 |
| | d3 : 2.0 | 10.0 | 4.5- 6.5 | 3210 |
| | : 2500 N | 12.0 | 6.5- 8.5 | 3212 |
| | : 1800 N | 15.0 | 8.5-12.0 | 3215 |
| | | 18.0 | 12.0-15.0 | 3218 |

Všechny rozměry v mm.

| d1 Ø | Ø : 5.1 | L | | Objednáací číslo |
|------------|--------------------|-----------|----------|------------------|
| | | [+1/-0.2] | | |
| 5.0 | d2 Ø : 9.5 [+0/-1] | 8.0 | 1.5- 3.0 | 10515008 |
| | k : 1.1 [+/-0.3] | 10.0 | 3.0- 5.0 | 5010 |
| | P : ≥27 | 12.0 | 5.0- 7.0 | 5012 |
| | d3 : ~2.9 | 16.0 | 9.0-11.0 | 5016 |
| | : 6500 N | | | |
| | : 5000 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.1 | L | | Objednáací číslo |
|------------|--------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | | |
| 4.0 | d2 Ø : 8.0 [+0/-1] | 6.0 | ~ 2.0 | 10514006 |
| | k : 1.0 [+/-0.3] | 8.0 | 2.0- 4.0 | 4008 |
| | P : ≥27 | 10.0 | 4.0- 6.0 | 4010 |
| | d3 : ~2.5 | 13.0 | 7.0- 9.0 | 4013 |
| | : 3800 N | 16.0 | 10.0-12.0 | 4016 |
| | : 3100 N | 18.0 | 12.0-14.0 | 4018 |
| | | 20.0 | 14.0-16.0 | 4020 |

Všechny rozměry v mm.

| d1 Ø | Ø : 5.1 | L | | Objednáací číslo |
|------------|---------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | | |
| 6.0 | d2 Ø : 12.0 [+0/-1] | 12.0 | 4.0- 6.0 | 10516012 |
| | k : 1.5 [+/-0.3] | 15.0 | 6.0- 9.0 | 6015 |
| | P : ≥31 | 18.0 | 9.0-12.0 | 6018 |
| | d3 : ~3.6 | 20.0 | 11.0-14.0 | 6020 |
| | : 8830 N | | | |
| | : 6500 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 6.5 | L | | Objednáací číslo |
|------------|-----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | | |
| 6.4 | d2 Ø : 12.0 [+0/-1,5] | 12.0 | 4.5- 6.5 | 10516412 |
| | k : 2.1 [+/-0.4] | 15.0 | 6.5- 9.5 | 6415 |
| | P : ≥31 | 18.0 | 9.5-12.5 | 6418 |
| | d3 : ~3.85 | 20.0 | 11.5-14.5 | 6420 |
| | : 8850 N | 25.0 | 17.0-20.0 | 6425 |
| | : 6500 N | | | |


Série 1541



ČSN 02 2391
EN 14588

A4 [1.4401]

A4 [1.4401]



Všechny rozměry v mm.

| d1 Ø | Ø : 3.1 | L | | Objednáací číslo |
|------------|----------------------|-----------|----------|------------------|
| | | [+1/-0.2] | | |
| 3.0 | d2 Ø : 6.5 [+0/-0.7] | 6.0 | 1.5- 2.5 | 15413006 |
| | k : 0.8 [+0/-0.2] | 8.0 | 2.5- 4.5 | 3008 |
| | P : ≥27 | 10.0 | 4.5- 6.5 | 3010 |
| | d3 : ~1.9 | | | |
| +0.08 | : 2000 N | | | |
| -0.10 | : 1600 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.1 | L | | Objednáací číslo |
|------------|--------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | | |
| 4.0 | d2 Ø : 8.0 [+0/-1] | 6.0 | ~ 2.0 | 15414006 |
| | k : 1.0 [+0/-0.3] | 8.0 | 2.0- 4.0 | 4008 |
| | P : ≥27 | 10.0 | 4.0- 6.0 | 4010 |
| | d3 : ~2.5 | 13.0 | 7.0- 9.0 | 4013 |
| +0.08 | : 3800 N | 16.0 | 10.0-12.0 | 4016 |
| -0.15 | : 3100 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 3.3 | L | | Objednáací číslo |
|------------|----------------------|-----------|----------|------------------|
| | | [+1/-0.2] | | |
| 3.2 | d2 Ø : 6.5 [+0/-0.7] | 6.0 | 1.5- 2.5 | 15413206 |
| | k : 0.8 [+0/-0.2] | 8.0 | 2.5- 4.5 | 3208 |
| | P : ≥27 | 10.0 | 4.5- 6.5 | 3210 |
| | d3 : ~2.0 | 12.0 | 6.5- 8.5 | 3212 |
| +0.08 | : 2500 N | | | |
| -0.10 | : 1800 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.9 | L | | Objednáací číslo |
|------------|--------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | | |
| 4.8 | d2 Ø : 9.5 [+0/-1] | 8.0 | 1.5- 3.0 | 15414808 |
| | k : 1.1 [+/-0.3] | 10.0 | 3.0- 5.0 | 4810 |
| | P : ≥27 | 12.0 | 5.0- 7.0 | 4812 |
| | d3 : ~2.9 | 14.0 | 7.0- 9.0 | 4814 |
| +/-0.09 | : 6000 N | 16.0 | 9.0-11.0 | 4816 |
| | : 4500 N | 18.0 | 11.0-13.0 | 4818 |

Série 1052+1053




ČSN 02 2391
EN 14588

A2 [1.4301]

A2 [1.4301]

VELKÁ HLAVA



Všechny rozměry v mm.

| d1 Ø | Ø : 3.3 | L | | Objednáací číslo |
|------------|---------------------|-----------|----------|------------------|
| | | [+1/-0.2] | | |
| 3.2 | d2 Ø : 9.5 [+/-0.7] | 6.0 | 1.0- 3.0 | 10523206 |
| | k : 1.3 [+0.3/-0.1] | 8.0 | 3.0- 5.0 | 3208 |
| | P : ≥26 | 10.0 | 5.0- 7.0 | 3210 |
| | d3 : 1.9 | 12.0 | 7.0- 9.0 | 3212 |
| +0.08 | : 2360 N | 14.0 | 9.0-11.0 | 3214 |
| -0.10 | : 1875 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.1 | L | | Objednáací číslo |
|------------|-----------------------|-----------|----------|------------------|
| | | [+1/-0.2] | | |
| 4.0 | d2 Ø : 12.0 [+0.5/-1] | 6.0 | 1.0- 2.5 | 10524006 |
| | k : 1.6 [+0.3/-0.2] | 8.0 | 2.5- 4.5 | 4008 |
| | P : ≥27 | 10.0 | 4.5- 6.5 | 4010 |
| | d3 : 2.5 | 13.0 | 6.5- 9.5 | 4013 |
| +0.08 | : 3650 N | 16.0 | 9.5-12.0 | 4016 |
| -0.15 | : 2895 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.9 | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | | |
| 4.8 | d2 Ø : 16.0 [+/-0.5] | 10.5 | 2.5- 5.0 | 10534810 |
| | k : 1.7 [+/-0.3] | 13.5 | 5.0- 8.5 | 4813 |
| | P : ≥27 | 17.2 | 8.5-12.0 | 4817 |
| | d3 : 2.85 | 20.5 | 12.0-15.5 | 4820 |
| +0.08 | : 4300 N | 23.5 | 15.5-18.5 | 4823 |
| -0.15 | : 2800 N | | | |

Všechny rozměry v mm.

| d1 Ø | Ø : 4.9 [+0.5/-0.1] | L | | Objednáací číslo |
|------------|----------------------|-----------|-----------|------------------|
| | | [+1/-0.2] | | |
| 4.8 | d2 Ø : 14.0 [+/-0.3] | 8.0 | 2.5- 4.0 | 10524808 |
| | k : 1.2 | 10.0 | 4.0- 6.0 | 4810 |
| | P : ≥27 | 12.0 | 6.0- 8.0 | 4812 |
| | d3 : 3.0 | 14.0 | 8.0-10.0 | 4814 |
| +0.08 | : 5335 N | 16.0 | 9.0-11.0 | 4816 |
| -0.15 | : 4230 N | 20.0 | 11.0-15.0 | 4820 |
| | | 25.0 | 15.0-20.0 | 4825 |

STANDARDNÍ NÝTY


Série 1054



ČSN 02 2391
EN 14588

A2 [1.4301] A2 [1.4301]

ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

| | |
|------------|---------------------|
| d1 Ø | Ø : 4.1 |
| 4.0 | d2 Ø : 7.5 [+/-0.5] |
| +0.08 | k : |
| -0.15 | P : ≥27 |
| | d3 : ~2.5 |
| | : 3800 N |
| | : 3100 N |

| L | | Objednáací číslo |
|-----------|----------|------------------|
| [+1/-0.2] | ↑ | |
| 6.0 | ~ 2.0 | 10544006 |
| 8.0 | 2.0- 4.0 | 4008 |
| 10.0 | 4.0- 6.0 | 4010 |
| 12.0 | 6.0- 8.0 | 4012 |
| 15.0 | 9.0-11.0 | 4015 |

Všechny rozměry v mm.

| | |
|------------|---------------------|
| d1 Ø | Ø : 3.3 |
| 3.2 | d2 Ø : 6.0 [+/-0.4] |
| +0.08 | k : |
| -0.10 | P : ≥27 |
| | d3 : ~2.0 |
| | : 2500 N |
| | : 1800 N |

| L | | Objednáací číslo |
|-----------|----------|------------------|
| [+1/-0.2] | ↑ | |
| 6.0 | 1.5- 2.5 | 10543206 |
| 8.0 | 2.5- 4.5 | 3208 |
| 10.0 | 4.5- 6.5 | 3210 |
| 12.0 | 6.5- 8.5 | 3212 |

Všechny rozměry v mm.

| | |
|------------|---------------------|
| d1 Ø | Ø : 4.9 |
| 4.8 | d2 Ø : 9.0 [+/-0.5] |
| +0.08 | k : |
| -0.15 | P : ≥27 |
| | d3 : ~2.9 |
| | : 6000 N |
| | : 4500 N |

| L | | Objednáací číslo |
|-----------|-----------|------------------|
| [+1/-0.2] | ↑ | |
| 8.0 | 1.5- 3.0 | 10544808 |
| 10.0 | 3.0- 5.0 | 4810 |
| 12.0 | 5.0- 7.0 | 4812 |
| 15.0 | 8.0-10.0 | 4815 |
| 18.0 | 11.0-13.0 | 4818 |
| 21.0 | 14.0-16.0 | 4821 |
| 25.0 | 18.0-20.0 | 4825 |


STANDARDNÍ NÍTTY

Série 0818



ČSN 02 2391
EN 14588

A2 [1.4301]



Všechny rozměry v mm.

| | |
|------------|----------------------|
| d1 Ø | Ø : 4.0 |
| 3.9 | d2 Ø : 8.0 [+/-0.15] |
| +0.05 | k : 1.15 |
| -0.15 | : 2205 N |
| | : 3087 N |

| L | | Objednáací číslo |
|-----------|-----------|------------------|
| [+1/-0.2] | ↑ | |
| 7.0 | 1.0- 3.0 | 08183907 |
| 12.0 | 5.0- 8.0 | 08183912 |
| 16.0 | 10.0-11.0 | 08183916 |

Všechny rozměry v mm.

| | |
|------------|----------------------|
| d1 Ø | Ø : 3.3 |
| 3.2 | d2 Ø : 6.5 [+/-0.15] |
| +0.05 | k : 0.85 [+/-0.15] |
| -0.15 | : 1470 N |
| | : 2254 N |

| L | | Objednáací číslo |
|-----------|-----------|------------------|
| [+1/-0.2] | ↑ | |
| 7.0 | 1.0 - 3.5 | 08183207 |
| 9.0 | 3.5- 5.5 | 08183209 |
| 13.0 | 5.5- 9.5 | 08183213 |

Všechny rozměry v mm.

| | |
|------------|----------------------|
| d1 Ø | Ø : 5.0 |
| 4.8 | d2 Ø : 9.0 [+/-0.15] |
| +0.05 | k : 1.4 [+/-0.1] |
| -0.15 | : 3626 N |
| | : 5439 N |


| L | | Objednáací číslo |
|-----------|-----------|------------------|
| [+1/-0.2] | ↑ | |
| 9.0 | 1.0- 4.0 | 08184809 |
| 15.0 | 7.0-10.0 | 08184815 |
| 18.0 | 10.0-13.0 | 08184818 |
| 22.0 | 13.0-16.0 | 08184822 |
| 27.0 | 16.0-21.0 | 08184827 |

Série 1101



OCEL
POZINKOVÁNO

ČSN 02 2391
EN 14588



Všechny rozměry v mm.

| | |
|------------|--------------------|
| d1 Ø | Ø : 4.1 |
| 4.0 | d2 Ø : 8.0 [+0/-1] |
| +0.08 | k : 1.0 [+/-0.3] |
| -0.15 | P : ≥27 |
| | d3 : ~2.1 |
| | : 1500 N |
| | : 1000 N |

| L | | Objednáací číslo |
|-----------|-----------|------------------|
| [+1/-0.2] | ↑ | |
| 6.0 | 1.0- 2.5 | 11014006 |
| 8.0 | 2.5- 4.5 | 4008 |
| 10.0 | 4.5- 6.5 | 4010 |
| 12.0 | 6.5- 8.5 | 4012 |
| 14.0 | 8.5-10.5 | 4014 |
| 16.0 | 10.5-12.5 | 4016 |

Všechny rozměry v mm.

| | | | | |
|------------|----------------------|------|----------|----------|
| d1 Ø | Ø : 3.1 | 6.0 | 1.0- 3.0 | 11013006 |
| 3.0 | d2 Ø : 6.5 [+0/-0.7] | 8.0 | 3.0- 5.0 | 3008 |
| +0.08 | k : 0.8 [+/-0.2] | 10.0 | 5.0- 7.0 | 3010 |
| -0.10 | P : ≥27 | 12.0 | 7.0- 9.0 | 3012 |
| | d3 : ~1.75 | | | |
| | : 700 N | | | |
| | : 600 N | | | |

| L | | Objednáací číslo |
|-----------|----------|------------------|
| [+1/-0.2] | ↑ | |
| 6.0 | 1.0- 3.0 | 11013006 |
| 8.0 | 3.0- 5.0 | 3008 |
| 10.0 | 5.0- 7.0 | 3010 |
| 12.0 | 7.0- 9.0 | 3012 |

Všechny rozměry v mm.

| | |
|------------|----------------------|
| d1 Ø | Ø : 4.9 |
| 4.8 | d2 Ø : 9.5 [+0/-1.0] |
| +0.08 | k : 1.1 [+/-0.3] |
| -0.15 | P : ≥27 |
| | d3 : ~2.7 |
| | : 2000 N |
| | : 1500 N |

| L | | Objednáací číslo |
|-----------|-----------|------------------|
| [+1/-0.2] | ↑ | |
| 8.0 | 1.5- 3.5 | 11014808 |
| 10.0 | 3.5- 5.5 | 4810 |
| 12.0 | 5.5- 7.5 | 4812 |
| 14.0 | 7.5- 9.5 | 4814 |
| 16.0 | 9.5-11.5 | 4816 |
| 18.0 | 11.5-13.5 | 4818 |
| 20.0 | 13.5-15.5 | 4820 |

Všechny rozměry v mm.

| | | | | |
|------------|----------------------|------|----------|----------|
| d1 Ø | Ø : 3.3 | 6.0 | 1.0- 3.0 | 11013206 |
| 3.2 | d2 Ø : 6.5 [+0/-0.7] | 8.0 | 3.0- 5.0 | 3208 |
| +0.08 | k : 0.8 [+/-0.2] | 10.0 | 5.0- 7.0 | 3210 |
| -0.10 | P : ≥27 | 12.0 | 7.0- 9.0 | 3212 |
| | d3 : ~1.95 | | | |
| | : 800 N | | | |
| | : 700 N | | | |


| L | | Objednáací číslo |
|-----------|----------|------------------|
| [+1/-0.2] | ↑ | |
| 6.0 | 1.0- 3.0 | 11013206 |
| 8.0 | 3.0- 5.0 | 3208 |
| 10.0 | 5.0- 7.0 | 3210 |
| 12.0 | 7.0- 9.0 | 3212 |

Série 1151



BRONZ

ČSN 02 2391
EN 14588



Všechny rozměry v mm.

| | |
|------------|---------------------|
| d1 Ø | Ø : 3.3 |
| 3.2 | d2 Ø : 6.2 [+/-0.2] |
| +0 | k : 0.8 [+/-0.3] |
| -0.07 | P : ≥27 |
| | d3 : ~2.0 |
| | : 1000N |
| | : 800 N |

| L | | Objednáací číslo |
|-----------|----------|------------------|
| [+1/-0.2] | ↑ | |
| 5.0 | 2.0- 3.0 | 11513205 |
| 6.0 | 2.5- 3.5 | 3206 |
| 7.0 | 3.0- 4.5 | 3207 |
| 9.0 | 4.0- 6.5 | 3209 |
| 10.0 | 5.0- 7.5 | 3210 |
| 12.0 | 7.0- 9.5 | 3212 |