



# VODOTĚSNÉ NÝTY (do 3500 kPa)



## SR Série 1201



Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
<b>4.8</b>	d2 Ø : 9.5 [+/-0.29]
+0.08	k : ≤2.0
-0.15	P : ≥27
	d3 : ~2.63
	: 3100 N
	: 2200 N

L		Objednáací číslo
[+1/-0.2]	↑	
8.0	1.0- 3.0	12014808
9.5	3.0- 4.5	4809
11.0	4.5- 6.0	4811
12.5	6.0- 7.5	4812
14.0	7.5- 9.0	4814
16.0	9.0-11.0	4816
18.0	11.0-13.0	4818
21.0	13.0-16.0	4821
25.0	16.0-20.0	4825

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
<b>3.2</b>	d2 Ø : 6.0 [+/-0.24]
+0.08	k : ≤1.4
-0.10	P : ≥27
	d3 : ~1.7
	: 1250 N
	: 1070 N

L		Objednáací číslo
[+1/-0.2]	↑	
6.5	0.5- 2.0	12013206
8.0	2.0- 3.5	3208
9.5	3.5- 5.0	3209
10.7	5.0- 6.5	3210
12.7	6.5- 8.0	3212

Všechny rozměry v mm.

d1 Ø	Ø  : 6.5
<b>6.4</b>	d2 Ø : 12.7 [+/-0.35]
+0.10	k : ≤2.5
-0.15	P : ≥31
	d3 : ~3.7
	: 4900 N
	: 3950 N

L		Objednáací číslo
[+1/-0.2]	↑	
12.5	1.5- 6.0	12016412
16.0	6.0- 8.0	6416

Všechny rozměry v mm.


d1 Ø	Ø  : 4.1
<b>4.0</b>	d2 Ø : 8.0 [+/-0.29]
+0.08	k : ≤1.7
-0.15	P : ≥27
	d3 : ~2.18
	: 2240 N
	: 1700 N

L		Objednáací číslo
[+1/-0.2]	↑	
8.0	0.5- 3.5	12014008
9.5	3.5- 4.5	4009
11.0	4.5- 6.5	4011
12.7	6.5- 8.0	4012
15.0	8.0-10.5	4015

## SR Série 1202



VELKÁ HLAVA



Všechny rozměry v mm.


d1 Ø	Ø  : 4.9
<b>4.8</b>	d2 Ø : 14.0 [+0/-0.5]
+0.08	k : ≤2.5
-0.15	P : ≥27
	d3 : 2.65
	: 3070 N
	: 2230 N

L		Objednáací číslo
[+1/-0.2]	↑	
13.0	6.5- 8.0	12024813
18.0	10.0-12.5	4818

# SR Série 1204



## ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 7.5 [+/-0.5]
k	: -
P	: ≥27
d3	: ~2.2
	: 2240 N
	: 1710 N

L		Objednáací číslo
[+1/-0.2]	↑	
9.5	3.0- 5.0	12044009
11.0	4.5- 6.5	4011
12.5	6.0- 8.0	4012
14.0	8.0- 9.5	4014

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.4]
k	: -
P	: ≥27
d3	: ~1.7
	: 1245 N
	: 1070 N


L		Objednáací číslo
[+1/-0.2]	↑	
7.5	1.5- 3.5	12043207
9.0	3.0- 5.0	3209
10.5	4.5- 6.5	3210
12.0	6.0- 7.5	3212
13.5	7.5- 9.0	3213

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.0 [+/-0.5]
k	: -
P	: ≥27
d3	: ~2.65
	: 3070 N
	: 2230 N

L		Objednáací číslo
[+1/-0.2]	↑	
9.5	2.5- 4.5	12044809
11.0	4.0- 6.0	4811
12.5	5.5- 7.5	4812
14.0	7.0- 9.0	4814
15.5	8.5-10.5	4815
19.0	12.0-14.0	4819

# SR Série 1211



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: 2.2
	: 820 N
	: 580 N

L		Objednáací číslo
[+1/-0.2]	↑	
9.5	0.5- 5.0	12114009
12.5	5.0- 8.0	4012

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.24]
k	: ≤1.4
P	: ≥26
d3	: 1.8
	: 490 N
	: 450 N

L		Objednáací číslo
[+1/-0.2]	↑	
8.0	0.5- 3.5	12113208
9.5	3.5- 5.5	3209

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.5 [+/-0.29]
k	: ≤2.0
P	: ≥27
d3	: 2.65
	: 1120 N
	: 900 N


L		Objednáací číslo
[+1/-0.2]	↑	
9.5	1.0- 4.5	12114809
11.5	4.5- 6.5	4811
14.5	6.5- 9.5	4814
18.0	9.5-13.0	4818

VODOTĚSNÉ NÝTY

## SR Série 1231



A2 [1.4301]



Všechny rozměry v mm.

<b>d1</b> ∅	∅  : 4.1
<b>d2</b> ∅	: 8.0 [+/-0.29]
<b>k</b>	: ≤1.7
<b>P</b>	: ≥27
<b>d3</b>	: ~2.18
	: 2240 N
	: 1700 N

L		Objednáací číslo
[+1/-0.2]		
8.0	0.5- 3.5	12314008
9.5	3.5- 4.5	4009
11.0	4.5- 6.5	4011
12.7	6.5- 8.0	4012

Všechny rozměry v mm.

<b>d1</b> ∅	∅  : 3.3
<b>d2</b> ∅	: 6.0 [+/-0.24]
<b>k</b>	: ≤1.4
<b>P</b>	: ≥27
<b>d3</b>	: ~1.7
	: 1250 N
	: 1070 N

L		Objednáací číslo
[+1/-0.2]		
6.5	0.5- 2.0	12313206
8.0	2.0- 3.5	3208
9.5	3.5- 5.0	3209
11.0	5.0- 6.5	3210
12.7	6.5- 8.0	3212

Všechny rozměry v mm.

<b>d1</b> ∅	∅  : 4.9
<b>d2</b> ∅	: 9.5 [+/-0.29]
<b>k</b>	: ≤2.0
<b>P</b>	: ≥27
<b>d3</b>	: ~2.65
	: 3100 N
	: 2200 N

L		Objednáací číslo
8.0	1.0- 3.0	12314808
9.5	3.0- 4.5	4809
11.0	4.5- 6.0	4811
12.5	6.0- 7.5	4812
14.0	7.5- 9.0	4814
16.0	9.0-11.0	4816
18.0	11.0-13.0	4818
21.0	13.0-16.0	4821

## SR Série 1234





A2 [1.4301]

ZAPUŠTĚNÁ HLAVA

Na zvláštní poptávku  
(Rozměry viz. tab. R1231)

## SR Série 1241



Všechny rozměry v mm.

<b>d1</b> ∅	∅  : 4.1
<b>d2</b> ∅	: 8.0 [+/-0.29]
<b>k</b>	: 1.4 [+/-0.3]
<b>P</b>	: ≥27
<b>d3</b>	: ~2.3
	: 2500 N
	: 2300 N

L		Objednáací číslo
[+1/-0.2]		
6.0	0.5- 1.5	12414006
8.0	1.5- 3.0	4008
10.0	3.0- 5.0	4010
12.0	5.0- 6.5	4012
15.0	6.5-10.5	4015

Všechny rozměry v mm.

<b>d1</b> ∅	∅  : 3.3
<b>d2</b> ∅	: 6.0 [+/-0.24]
<b>k</b>	: 1.0 [+/-0.3]
<b>P</b>	: ≥27
<b>d3</b>	: ~1.9
	: 2000 N
	: 1600 N

L		Objednáací číslo
[+1/-0.2]		
6.0	0.5- 1.5	12413206
8.0	1.5- 3.0	3208
9.5	3.0- 5.0	3209
12.0	5.0- 7.0	3212

Všechny rozměry v mm.


<b>d1</b> ∅	∅  : 4.9
<b>d2</b> ∅	: 9.5 [+/-0.29]
<b>k</b>	: 1.7 [+/-0.3]
<b>P</b>	: ≥27
<b>d3</b>	: ~2.9
	: 3800 N
	: 2900 N

L		Objednáací číslo
8.0	1.0- 3.0	12414808
9.5	3.0- 5.0	4809
12.0	5.0- 6.5	4812
16.0	6.5-10.5	4816

# SR Série 1242



## VELKÁ HLAVA



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 12.0 [+/-0.35]
k	: 1.2 [+/-0.3]
P	: ≥27
d3	: 2.3
	: 1860 N
	: 1700 N

L		Objednací číslo
[+1/-0.2]		
8.0	0.5- 3.0	12424008
10.0	3.0- 5.0	4010
12.0	5.0- 6.5	4012
16.0	6.5-10.5	4016

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 10.0 [+/-0.24]
k	: 1.0 [+/-0.23]
P	: ≥26
d3	: 1.9
	: 1200 N
	: 1100 N

L		Objednací číslo
[+1/-0.2]		
8.0	1.5- 3.0	12423208
9.5	3.0- 5.0	3210
12.0	5.0- 7.0	3212

Všechny rozměry v mm.


d1 Ø	Ø  : 4.9
d2 Ø	: 14.0 [+/-0.35]
k	: 1.4 [+/-0.3]
P	: ≥27
d3	: 2.9
	: 1860 N
	: 1700 N

L		Objednací číslo
[+1/-0.2]		
8.0	0.5- 3.0	12424808
10.0	3.0- 5.0	4810
12.0	5.0- 6.5	4812
16.0	6.5-10.5	4816

# SR Série 1251



## MĚŘ



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: ~2.2
	: 2000 N
	: 1350 N

L		Objednací číslo
[+1/-0.2]		
8.0	0.5- 2.0	12514008
10.0	2.0- 4.0	4010

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.24]
k	: ≤1.4
P	: ≥27: ~1.7
d3	: 1300 N
	: 850 N

L		Objednací číslo
[+1/-0.2]		
6.5	0.5- 1.5	12513206
8.0	1.5- 3.0	3208
9.5	2.5- 4.5	3009
12.5	4.5- 7.5	3212

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.5 [+/-0.29]
k	: ≤2.0
P	: ≥27
d3	: ~2.65
	: 2800 N
	: 1950 N

L		Objednací číslo
[+1/-0.2]		
9.5	1.0- 2.5	12514809
11.5	2.5- 4.5	4811


VODOTĚSNĚ NÝTY

## SR Série 1261



A2 [1.4301]

A2 [1.4021]



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7 [+/-0.3]
P	: ≥27
d3	: ~2.3
	: 4000 N
	: 3000 N

L		Objednáací číslo
[+1/-0.2]	↑	
6.0	0.5- 1.5	12614006
8.0	1.5- 3.0	4008
9.5	3.0- 5.0	4009
12.0	5.0- 6.5	4012
16.0	6.5-10.5	4016

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3	L	Objednáací číslo
d2 Ø	: 6.0 [+/-0.24]	[+1/-0.2]	
k	: ≤1.4 [+/-0.3]	6.0 0.5- 1.5	12613206
P	: ≥26	8.0 1.5- 3.0	3208
d3	: ~1.9	9.5 3.0- 5.0	3209
	: 2500 N	12.0 5.0- 7.0	3212
	: 2000 N		

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.5 [+/-0.29]
k	: ≤2.0 [+/-0.3]
P	: ≥27
d3	: ~2.9
	: 5500 N
	: 4500 N

L		Objednáací číslo
[+1/-0.2]	↑	
8.0	1.0- 3.0	12614808
9.5	3.0- 5.0	4809
12.0	5.0- 6.5	4812
16.0	6.5-10.5	4816
20.0	10.5-14.0	4820


## SR Série 1262



A2 [1.4301]

A2 [1.4021]

VELKÁ HLAVA



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 12.0 [+/-0.35]
k	: 1.1 [+/-0.3]
P	: ≥27
d3	: 2.3
	: 4000 N
	: 3000 N

L		Objednáací číslo
[+1/-0.2]	↑	
6.0	0.5- 1.5	12624006
8.0	1.5- 3.0	4008
10.0	3.0- 5.0	4009
12.0	5.0- 6.5	4012
16.0	6.5-10.5	4016

Všechny rozměry v mm.


d1 Ø	Ø  : 3.3	L	Objednáací číslo
d2 Ø	: 10.0 [+/-0.29]	[+1/-0.2]	
k	: 0.9 [+/-0.3]	6.0 0.5- 1.5	12623206
P	: ≥26	8.0 1.5- 3.0	3208
d3	: 1.9	9.5 3.0- 5.0	3209
	: 2500 N	12.0 5.0- 6.5	3212
	: 2000 N		

Všechny rozměry v mm.


d1 Ø	Ø  : 4.9
d2 Ø	: 14.0 [+/-0.29]
k	: 1.3 [+/-0.3]
P	: ≥27
d3	: 2.9
	: 5500 N
	: 4500 N

L		Objednáací číslo
[+1/-0.2]	↑	
8.0	0.5- 3.0	12624808
10.0	3.0- 5.0	4810
12.0	5.0- 6.5	4812
16.0	6.5-10.5	4816

## SR Série 1281



A2 [1.4301]



Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.29]
k	: ≤1.4
P	: ≥27
d3	: ~1.7
	: 1300 N
	: 850 N

L		Objednáací číslo
[+1/-0.2]	↑	
6.5	0.5- 1.5	12813206
8.0	1.0- 3.0	3208
9.5	2.5- 4.5	3209
12.5	5.5- 7.5	3212

Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: ~2.18
	: 2000 N
	: 1350 N

L		Objednáací číslo
[+1/-0.2]	↑	
8.0	0.5- 3.0	12814008
10.0	3.0- 5.0	4010